



A detailed, low-angle photograph looking down the central axis of a large, cylindrical fusion reactor chamber. The interior walls are composed of numerous dark, rectangular metallic tiles, each with a grid of small circular ports. Bright, glowing blue and white light arcs are visible along the inner circumference of the chamber, creating a sense of intense energy and depth. The perspective draws the viewer's eye towards the center of the structure.

Mass Spectrometers for Fusion Research DLS Series




DLS-20 Unique dual-zone switching ultra-high resolution mass spectrometer for the analysis of hydrogen and helium isotopes and light gases

- ▶ Industry first 20 mm rod diameter quadrupole mass filter for ultra-high mass resolution
- ▶ Software switchable dual-zone RF power supply for Zone H ultra-high resolution 1-20 amu operation and Zone I ultra-high stability 1-200 amu operation
- ▶ 0.006 amu mass separation in real time
- ▶ Sensitivity of both He in D_2 and D_2 in He is 1 ppm
- ▶ ^3He quantification in HD



DLS-10 Mass spectrometer specifically developed for the research and quantification of light gases and hydrogen isotopes by mass

- ▶ 1-10 amu mass range
- ▶ Zone H ultra-high resolution operation for the separation and quantification of hydrogen and helium isotopes
- ▶ Sensitivity of both He in D_2 and D_2 in He is 10 ppm



DLS-1 Mass spectrometer for real-time quantitative analysis of complex gas and vapour mixtures in fusion applications

- ▶ 1-100 amu mass range
- ▶ Software driven recipes using threshold ionisation mass spectrometry (TIMS) for the real-time quantification of hydrogen and helium isotopes and deuterated hydrocarbons
- ▶ Sensitivity of D_2 in He of 100 ppm